

Customer:	EA Sample ID: 23EA0113-007	Date Received:
Green Star Labs	Sample Name: Retune - 100mg Hemp - Vocal Spray	01/13/2023
4075 Ruffin Rd	Sample Type: Liquid	Date Completed:
San Diego, CA 92123	Batch/Lot: 221207	01/18/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Summary of Results

Analysis Type	SOP	Date Tested	Status
Cannabinoids	EA-SOP-POTENCY	01/16/2023	Complete
Heavy Metals	EA-SOP-HM	01/18/2023	Pass
Microbials	EA-SOP-PETRI	01/18/2023	Pass



Unit Size (g): 28.35

## POTENCY CANNABINOID PROFILE

Analyte	Result (mg/g)	mg/unit	w/w %	LOQ (ppm)	LOD (ppm)
CANNABIDIVARIN (CBDV)	<LOQ	<LOQ	<LOQ	100	30
CANNABICHROMENE (CBC)	<LOQ	<LOQ	<LOQ	100	30
CANNABIGEROL (CBG)	<LOQ	<LOQ	<LOQ	100	30
CANNABIDIOL (CBD)	3.98	112.89	0.40	100	30
CANNABINOL (CBN)	<LOQ	<LOQ	<LOQ	100	30
Δ9 TETRAHYDROCANNABINOL (THC)	<LOQ	<LOQ	<LOQ	100	30

NOTES:

NT = NOT TESTED  
 LOD = LIMIT OF DETECTION  
 LOQ = LIMIT OF QUANTIFICATION

Ethos Analytics Laboratory  
 3020 E Camelback Rd  
 Suite 397  
 Phoenix, AZ 85016  
 Info@Ethosanalytics.io  
 www.Ethosanalytics.io

Noel Samsum  
 Laboratory Director  
 18-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:	EA Sample ID: 23EA0113-007	Date Received:
Green Star Labs	Sample Name: Retune - 100mg Hemp - Vocal Spray	01/13/2023
4075 Ruffin Rd	Sample Type: Liquid	Date Completed:
San Diego, CA 92123	Batch/Lot: 221207	01/18/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Heavy Metal Analysis

Analyte	Result (ppm)	LOQ (ppm)	LOD (ppm)	Limit (ppm)	Pass/Fail
Arsenic	<LOQ	0.010	0.005	1.5	Pass
Cadmium	<LOQ	0.010	0.005	0.5	Pass
Lead	<LOQ	0.010	0.005	0.5	Pass
Mercury	<LOQ	0.010	0.005	3.0	Pass

## Microbiological Analysis

Microbe	Result (CFU/ml)	Limit (CFU/ml)	Specification	Pass/Fail
Aerobic Plate Count	<50	100,000	NS	Pass
Coliform	<50	1,000	NS	Pass
E. Coli	NP	NP	NS	Pass
Yeast	<50	1,000	NS	Pass
Mold	<50	1,000	NS	Pass
Staphylococcus Aureus	NP	NP	NS	Pass
Salmonella	NP	NP	NS	Pass

### NOTES:

CFU = Colony Forming Unit  
 NS = Not Specified  
 NP = Not Present in Sample

LOQ = Limit of Quantification  
 LOD = Limit of Detection

  
 Ethos Analytics Laboratory  
 3020 E Camelback Rd  
 Suite 397  
 Phoenix, AZ 85016  
 Info@Ethosanalytics.io  
 www.Ethosanalytics.io

Noel Samsum  
 Laboratory Director  
 18-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.